

Corrigendum #1 to Tender for Dog Boarding Services

Released on 12 July 2019

This corrigendum comprises:

- A) Extension of Dateline for the submission of documents
- B) Addition of Attribute Weightage for sub-section 6.2 of Instructions to Tenderers
- C) Amendments to sub-section 2.3 of Requirement Specifications

=====

A. EXTENSION OF DATELINE FOR SUBMISSION OF DOCUMENTS

1. In consideration of feedback from stakeholders and amendments to the tender documents, the current dateline for the submission of documents will be further extended from 14 July 2019 to **14 August 2019, 5pm** with immediate effect. This is to allow more time for interested bidders to submit the required documents.
2. All tender proposals must be submitted through email to tnrmmanager@spca.org.sg and copy: tnrmexecutive@spca.org.sg by 5pm on **14 August 2019**.

B. ADDITION OF ATTRIBUTE WEIGHTAGE FOR SUB-SECTION 6.2 OF INSTRUCTIONS TO TENDERERS

3. For greater clarity, the weightage for each of the attribute is as seen below.

Other Criteria

i. Tender Offer(s) that meet the above critical criterion shall be further evaluated by the following evaluation criteria in the following order of importance, Item 1 below being the most important:-

No.	Other Attributes	Weightage
1	<u>Price Competitiveness</u>	60%
2	<u>Track Record of Contractor</u> (Provision of at least 2 track records which may include references and contact persons from other agencies and/or testimonials and awards garnered in the recent three years.)	40%

ii. For the avoidance of doubt, the SPCA reserves the right not to accept the lowest priced or incomplete Tender Offer or any Tender Offer, and shall not be bound to assign any reason therefor.

C. AMENDMENTS TO SUB-SECTION 2.3 OF REQUIREMENT SPECIFICATIONS

4. With consideration to feedback from key stakeholders, we have amended the criteria of the primary enclosure area as seen below.

Previous requirement

Dog size (Height at shoulder)	Minimum primary enclosure area
Small (<40cm)	1.5m ²
Medium-sized (40cm to 60cm)	2.5m ²
Large (>60cm)	3.4m ²

New requirement

Dog size	Minimum primary enclosure area
Small, Medium or Large-sized	2.04m ² (Each dog is also to have space of minimum 2x by 1.5x its body length from nose to base of tail)